



# DECOLUX

*Alkyd Resin Enamel*



# DECOLUX

## Alkyd Resin Enamel

For interior and exterior wood and metal surfaces.

### Pick Your Colour Choices

*When carefully blend, gives you the desired theme and mood. . .*

Colours Marked ● are Premium Colours, ★ are Special Colours.



Straw BS 06C 33



Cottage Red ★ BS 04D 45



Honey Comb BS 08B 17



Signal Red ★ BS 04E 53




Mandarin Orange ★ BS 06E 51




Black ★ BS 00E 53



Bone DE 8045




Fresh Red ★ BS 04E 51




Pumpkin ★ BS 06D 43



Cocoa ● BS 08B 29



Sugar Cane BS 10C 31



Pewter BS 10A 07



Golden Yellow ★ BS 08E 51



Mahogany ● BS 06C 39



Banana BS 10B 15



Rose Pink BS 04C 33



Comfort BS 08C 31



Mud Brown ● BS 08C 37



White BS 00E 55



Dusty Pink BS 04B 17



Pebble BS 08B 21



Golden Brown BS 08C 35



Evergreen ● BS 14C 39



Ocean Blue ● BS 20D 45



Custard ★ BS 10D 45



Naval Grey BS 18B 25



Seaweed ● BS 12D 45



Fiesta Blue BS 18D 43



Autumn Yellow ★ BS 10E 53



Admiralty Grey DE 8047



Lime Jade ● BS 14E 53



Sky Blue BS 18E 51



Mustard ● BS 10C 35



Mercury BS 00A 05



Grass Green ● DE 8048



Rayon BS 14C 35



Primrose BS 10E 49



Dove Grey DE 8046



Dirty Green ● BS 12D 43



Horizon Blue BS 18C 35



Clay Beige BS 10B 17



Misty Grey BS 00A 01



Budding ★ BS 12E 53



Pastel Sky BS 20C 33

## DECOLUX UNDERCOAT




Bamboo Green BS 12C 33



Spring Blue BS 16C 33



Grey BS 10A 05



White BS 00E 55



Sea Grass BS 12B 17



Crystal Blue BS 18E 49



Cream BS 10B 19



Green BS 14D 41



Moon Mist BS 18C 31



Ash Grey BS 18B 17



Blue BS 18D 41



Pink BS 04C 35



# DECOLUX

## Alkyd Resin Enamel

### Product Description

SKK's Decolux Alkyd Resin Enamel is an oil modified alkyd paint with excellent durability and good fungus resistant properties.

Decolux is ideal for exterior and interior wood and metal doors, railings, grilles, furniture, pipes, windows, etc. It is washable, easy to apply, smooth and glossy, and has superior colour retention properties.

Decolux's wide range of attractive colours spoilt you with choices.

### Technical Specifications

Type	: Oil-modified Alkyd Paint
Use	: As a finishing coat over suitably primed wood and metal surfaces both interior and exterior usage.
Finish	: Gloss
Standard	: Conform to Singapore Standard SS7: 1998
Application Method	: By spray, brush or roller
Surface Preparation	: Surfaces shall be dry and free from dust, dirt, grease and other foreign matters. New surfaces shall be appropriately primed. Loose existing paintwork shall be removed.
Dilution	: 0-10% with Paint Thinner A
Drying Time (at 30°C)	: Surface dry 4 hours. Hard dry 18 hours.
Overcoating Interval	: Minimum 16 hours
Specific Gravity	: 0.93- 1.17 (depend on colour)
Solid Content	: 50-65% (depend on colour)
Coverage	: 7-10m <sup>2</sup> /litre/coat (theoretical)
Packing	: 5 litres/ can
Recommended Undercoat	: SKK Decolux Undercoat



### For further enquiries and assistance please call:

**Headquarter in Japan, SK KAKEN CO., LTD**  
<http://www.sk-kaken.co.jp>

**SINGAPORE, SKK (S) PTE LTD**  
14 Pandan Road, Singapore 609262  
Tel: (65) 6274-0020 Fax: (65) 6278-0060  
<http://www.sk.com.sg>

**THAILAND, SK KAKEN (THAILAND) CO., LTD**  
161/1 SG Tower 5th Fl., Unit 504-5  
Soi Mahadlek Luang 3  
Ratchadamri Rd, Lumpini,  
Pathumwan, Bangkok 10330  
Tel: (662) 651-8722-3  
Fax: (662) 651-8721

**HONG KONG, SKK (HK) CO., LTD**  
<http://www.sk.hk.com.hk>

**MALAYSIA, SK KAKEN (M) SDN. BHD.**  
<http://www.sk.com.my>

**CHINA, SIKOKU KAKEN (SHANGHAI) CO., LTD**  
<http://www.sk.com.cn>

**KOREA, SK KAKEN (KOREA) CO., LTD**

**INDIA, SKK India Liaison Office**  
95, V main, 1B Cross, Domlur 2nd Stage,  
Bangalore 560080, India.  
Tel: (91) 80-4148-2831 Fax: (91) 80-4148-2836

**SKK India Delhi Liaison Office**  
#1311, Devika Tower 6, Nehru Place, Kalkaji,  
New Delhi 110019, India

**VIETNAM, SKK Vietnam Representative Office**  
Unit #A1, 1st Floor, Y Ban Building,  
69 Thach Thi Thanh St. Dist. 1, HCM City, Vietnam.  
Tel: (84) 08-2-220-0983 Fax: (84) 08-2-220-0987

**Hanoi Representative Office**  
1st Floor, 92, Hoang Ngan Street, Cau Giay District,  
Hanoi, Vietnam