

Exterior Use



Super Biofine

Emulsion Paint



One Component




Removing Dirt



Water-based



Low Odour



Anti-fungus



Anti-algae



Super Biofine

Certified to Singapore Standard SS 345 : 2015

Anti-algae Acrylic Emulsion



▲ DAWN
SB-6046 BS 04B 21



▲ ORIENTAL ●
SB-6072 BS 04D 45



▲ PLUM ●
SB-6074 BS 02C 39



▲ HONEY ●
SB-6070 BS 06D 43



▲ MANDARIN ORANGE ●
SB-6060 BS 06E 51



▲ CHROME YELLOW ●
SB-6069 BS 08E 51



▲ PEBBLE
SB-6042 BS 08B 21



▲ BRICK RED ●
SB-6071 BS 04D 44



▲ FONTANA ●
SB-6073 BS 02C 37



▲ GOLDEN BROWN ●
SB-6035 BS 08C 35



▲ SUNSET ORANGE ●
SB-6068 BS 06E 50



▲ SILVER MIST
SB-6021 BS 10A 03



▲ SIGNAL RED ●
SB-6059 BS 04E 53




▲ BRICK CLAY ●
SB-6028 BS 04C 37



▲ BROWN YELLOW ●
SB-6027 BS 06C 35



▲ PEACH ●
SB-6081 BS 06D 41



▲ MISTY GREY
SB-6013 BS 00A 01



▲ FLESH RED ●
SB-6058 BS 04E 51




▲ ROMANCE
SB-6053 BS 22C 37



▲ STRAW
SB-6034 BS 06C 33



▲ ANTIQUE YELLOW ●
SB-6057 BS 10E 50



▲ MAGNOLIA
SB-6014




▲ ROSE PINK
SB-6016 BS 04C 33




▲ PINK PANTHER
SB-6050 BS 24C 33




▲ HONEY COMB
SB-6030 BS 08B 17



▲ PRIMROSE
SB-6040 BS 10E 49



▲ BANANA
SB-6006 BS 10B 15



▲ CHERRY PINK
SB-6015 BS 04E 49




▲ DUSTY PINK
SB-6008 BS 04B 17




▲ CREAM
SB-6023 BS 08E 49




▲ CORNSILK
SB-6039 BS 10C 33



▲ WHITE
SB-6000 BS 00E 55




▲ IVORY
SB-6002 BS 08B 15



▲ MISTY PINK
SB-6007 BS 04B 15



▲ COMFORT
SB-6022 BS 08C 31



▲ SUGARCANE
SB-6031 BS 10C 31

● Indicates Premium Colours.



▲ JADE ●
SB-6063 BS 14E 53



▲ BIG BLUE ●
SB-6082 BS 18E 53



▲ DUSK
SB-6052 BS 20C 37



▲ PEWTER
SB-6038 BS 10A 07



▲ BLACK
SB-6045 BS 00E 53



▲ LEMON GREEN ●
SB-6061 BS 14E 51



▲ DULL BLUE ●
SB-6083 BS 18D 41



▲ LAGOON BLUE
SB-6067 BS 18D 43



▲ MERCURY
SB-6037 BS 00A 05



▲ SILT
SB-6085 BS 10A 11



▲ EAU DE NIL
SB-6025 BS 6 070



▲ AVOCADO ●
SB-6084 BS 16D 41



▲ SKY BLUE ●
SB-6012 BS 18E 51



▲ WHISPER
SB-6048 BS 18B 21



▲ MAHOGANY ●
SB-6054 BS 06C 39



▲ BAMBOO GREEN
SB-6019 BS 12C 33



▲ PEACOCK GREEN ●
SB-6065 BS 16D 45



▲ MARINA
SB-6062 BS 20E 51



▲ HORIZON BLUE ●
SB-6041 BS 18C 35



▲ STEAK
SB-6086 BS 08B 25



▲ SEA WAVE ●
SB-6033 BS 14D 41



▲ TURQUOISE
SB-6066 BS 16E 53



▲ DIAMOND BLUE
SB-6004 BS 18E 50



▲ VOGUE
SB-6024 BS 22B 17



▲ SEA WEED ●
SB-6056 BS 12D 45



▲ RAYON
SB-6020 BS 14C 35



▲ ADMIRALTY GREEN
SB-6064 BS 16C 37



▲ PASTEL SKY
SB-6049 BS 20C 33




▲ ASH GREY
SB-6029 BS 18B 17




▲ SWAMPY
SB-6047 BS 12B 21




▲ ISLAND GREEN
SB-6026 BS 14E 50



▲ MISTY GREEN
SB-6009 BS 14C 31




▲ CRYSTAL BLUE
SB-6003 BS 18E 49




▲ MORNING DEW
SB-6005 BS 22B 15



▲ SEA GRASS
SB-6043 BS 12B 17



▲ LIGHT GREEN
SB-6017 BS 14E 49



▲ MEADOW GREEN
SB-6010 BS 12B 15



▲ SPRING BLUE
SB-6011 BS 16C 33



▲ MOONMIST
SB-6001 BS 18C 31



▲ CLAY BEIGE
SB-6032 BS 10B 17

All colors shown are as close to actual paint colors due to limitation on modern print techniques.
Please request sample board or wet sample prior to confirmation of order.

Super Biofine

E m u l s i o n P a i n t

PRODUCT DESCRIPTION

SKK Super Biofine is a high performance acrylic sheen emulsion paint. It is specifically formulated for the protection and decoration of building surfaces to withstand algae and fungus growth and extreme changes in weather conditions.

Properly applied film of Super Biofine exhibits the following characteristics:

- ☑ **Tough and dense coating film.**
- ☑ **Excellent algae, fungus, alkali, contamination and abrasion resistance.**
- ☑ **Excellent weather resistance, colour retention and adhesion.**
- ☑ **Easy to apply.**

TECHNICAL SPECIFICATIONS

Type	:	Anti-algae Acrylic Emulsion
Use	:	Protection and decoration of various internal and external building surfaces asbestos, cement, masonry, plaster, brick works, hard and soft boards timber etc.
Finish	:	Sheen
Colour	:	Standard colours as per colour card
Characteristic	:	<ul style="list-style-type: none">• Excellent algae, fungus and weather resistance• Washable and excellent adhesion• Easy application
Standard	:	Certified to Singapore Standard SS 345 : 2015
Application Method	:	Spray, brush or roller
Surface Preparation	:	Surfaces shall be dry and free from dirt, dust, oil and foreign matters. Pare off unstable oil paint work or loose paint films.
Dilution	:	Ready for use. If thinning is necessary, not more than 20% water.
Drying Time	:	Surface dry: 30 min Hard dry: 1 hour
Overcoating Interval	:	2 hours
Coverage	:	7 to 10m ² / Litre/Coat (theoretically)
Specific Gravity	:	1.23- 1.46 depending on colour
Solid Content	:	52- 63 wt % depending on colour
Packing	:	20 Litres
Recommended Undercoats	:	Super Biofine Sealer, Mirac Sealer W

We reserve the right to modify our product specification without notice.

DIRECTION FOR USE

1. Pare off unstable old paint work.
2. Surfaces shall be clean, dry and free from dust, dirt, oil grease etc. Hairline cracks shall be made good with our SK Filler or equivalent.
3. Stir thoroughly before use.
4. Ready to use. If thinning is required, not more than 20% of water for the first coat.
5. For a better finish, it is not advisable to thin the subsequent coats.
6. On unpainted surfaces, apply one coat of Super Biofine Sealer.



HEAD OFFICE IN JAPAN
SK KAKEN CO., LTD.
5-25, 3-Chome, Nakahozumi, Ibaraki-City,
Osaka, 567-0034, Japan
Tel: (81) 72-621-7727 Fax: (81) 72-621-7728
Web: <http://www.sk-kaken.co.jp>



SINGAPORE SKK (S) PTE. LTD.
14 Pandan Road, Singapore 609262
Tel: (65) 6274-0020 Fax: (65) 6278-0060
Web: <http://www.sk.com.sg>
Factory: SINGAPORE FACTORY

INDONESIA
PT. SKK KAKEN DISTRIBUSI
PT. SKK KAKEN KONSTRUKSI
Setiabudi Atrium Building, 5th floor, suite 506,
Jl. H. R. Rasuna Said Kav. 62, Jakarta, Indonesia 12920
Tel: (62)21-5210401(5210402) Fax: (62)21-5210403
Factory: PT. SKK KAKEN INDONESIA

MALAYSIA SK KAKEN (M) SDN. BHD.
Suite 13, 01, Level 13, Centrepoint South, The
Boulevard, Mid Valley City, Lingkaran Syed Putra,
59200 Kuala Lumpur, Malaysia
Tel: (60)3-2282-9800 Fax: (60)3-2282-9810
Web: <http://www.sk.com.my>

Branch Office: Johor Bahru, Kuantan, Penang
Factory: SKK CHEMICAL (M) SDN. BHD.

THAILAND SK KAKEN (THAILAND) CO., LTD.
518/5 Maneeya Center Building 6th Floor, Pleonchit
Rd., Lumpini, Pathumwan, Bangkok 10330
Tel: (66)2-652-0600(0585)(0858) Fax: (66)2-652-0639
Web: <http://www.sk.com.th>

Branch Office: Chiang Mai
Factory: SKK CHEMICAL (THAILAND) CO., LTD.

HONG KONG SKK (H.K.) CO., LTD.
38/F, @Convoy,
169 Electric Road, Fortress Hill, Hong Kong
Tel: (85) 2-2529-3968 Fax: (85) 2-2527-0299
Web: <http://www.skhk.com.hk>

CHINA SIKOKU KAKEN (SHANGHAI) CO., LTD.
Units 3-7, 25F, Far East International Plaza A, No. 319
Xianxia Road, Changning District, Shanghai, China
Tel: (86) 21-6209-9169 Fax: (86) 21-6209-9189
Web: <http://www.sk.com.cn>

Branch Office: Beijing, Guanzhou, Shenyang, Wuhan,
Chongqing, Kunming, Nanjing, Suzhou, Hangzhou, Tianjin,
Changchun, Xi'an, Hefei, Henan
Dealer: SIKOKU KAKEN (SHANGHAI) CO., LTD.
First Main Branch
Factory: SHANGHAI FACTORY